TVS



With a modern design and a variety of first-in-segment features, the all-new TVS Jupiter is tailored to offer the best of technology, comfort, convenience, style, and safety.



# INTRODUCING

THE ALL-NEW TVS JUPITER WITH FEATURES WHICH WILL DELIGHT YOU AND YOUR FAMILY.

# 1<sup>ST</sup> IN SEGMENT























**DOUBLE ROAD** Shantinagar No.114,KH Road.

SAL

Bangalore - 560027 +91 95130 77787 COLES PARK Frazer Town No.113.St. JohnsChurch Road Bangalore - 560005

**4** +91 95130 77768

LALBAGH ROAD

No.1/1, 2ndCross Lalbagh Road Bangalore - 560027

+91 95130 77797



# **LOVED ONES SAFE.**



STURDY AND DURABLE BUILD FOR ENHANCED PROTECTION



LIGHTS UP YOUR PATH



YOUR RIDE MADE SAFER -AUTO OFF INDICATORS



ALERT OTHER RIDERS DURING SUDDEN BRAKE

# **CONVENIENCE**

FOR EVERY NEED & FOR EVERYONE.



FUELING YOUR VEHICLE HAS NEVER BEEN EASIER



POWER YOUR DEVICES ON THE GO



CARRY EVERYTHING YOU NEED AND MORE



UNLOCK YOUR SEAT AND FUEL TANK WITH A SINGLE KEY










BETTER BALANCE AND STABILITY ON EVERY TERRAIN



**EXPERIENCE SUPERIOR HANDLING AND STABILITY** 



**NEVER FALL SHORT ON COMFORT** 



GO THROUGH ROUGH TERRAIN WITH EASE

# **ELEGANT COLOURS.**





Product	Colour	iGO Assist	SmartXonnect	Signature Infinity Light Bar
Drum		_	_	_
Drum Alloy		_	_	_
Drum SmartXonnect		<b>✓</b>	<b>✓</b>	<b>✓</b>
Disc SmartXonnect		<b>~</b>	<b>✓</b>	<b>✓</b>



DOUBLE ROAD Shantinagar No.114,KH Road, Bangalore - 560027 +91 95130 77787 COLES PARK
Frazer Town
No.113,St. JohnsChurch Road
Bangalore - 560005
+91 95130 77768

SERVICE

### LALBAGH ROAD

No.1/1, 2ndCross Lalbagh Road Bangalore - 560027

+91 95130 77797



## **SPECIFICATIONS**

### ENGINE (BS-VI compliant)

Type Single cylinder,4-stroke,

CVTi, fuel injection

Displacement 113.3 cc

Bore x Stroke 51 x 55.5 mm Air Filter Type Paper filter

Maximum Power 5.9 kW @ 6500 rpm

Maximum Torque 9.8 Nm @ 5000 rpm (with assist)

9.2 Nm @ 5000 rpm (without assist)

Transmission Type CVT automatic

Starting System Kick\* and electric starter

#### **ELECTRICALS**

Ignition ECU-controlled ignition 12V, 5Ah
Battery (SmartXonnect variant) MF

battery 12V, 4Ah (Drum and

Headlamp Drum Alloy) MF battery LED LED

Tail Lamp

#### **CHASSIS & SUSPENSION**

Dimensions (I\*b\*h) 1848 x665x1258mm

Wheelbase 1275 mm

Ground Clearance 163 mm (unladen)
Front Suspension Telescopic hydraulic

Rear Suspension Twin tube emulsion type shock absorber

with 3-step adjustment.

#### **BRAKES & TYRES**

Front 220 mm Disc\*,130 mm Drum variant

Rear 130 mm Drum

Tyre Size (Front & Rear) 90/90-12-54 J (tubeless)



