



TVS SMARTXONNECT™ TECHNOLOGY



BENEFITS



BLUETOOTH* CONNECTED

Risk-free riding with hands-free accessibility.



CALL & SOCIAL MEDIA ALERTS

Always stay in touch with your loved ones.



VOICE ASSIST

Command your scooter effortlessly. Just press the 'Voice Assist' switch, and let it lead the way!



TRAFFIC TIME SCREENS

Stay informed with real-time news, sports and weather updates.



NAVIGATION

Reach your destination easily with turn-by-turn navigation.



DISTANCE-TO-EMPTY

Say goodbye to unexpected fuel stops with Distance-to-Empty (DTE).

scooter's average mileage & instant fuel economy now on your SmartXonnect™ cluster.



ZYADA PICKUP

TVS iGo Assist is an advanced technology designed to enhance both performance and fuel efficiency. This addition further reinforces TVS Jupiter 125's position as a technologically-superior, fuel-efficient scooter.



ALL-NEW REFINED ENGINE



INTEGRATED STARTER GENERATOR WITH SILENT START









ZYADA SPACE



LARGEST 33L UNDERSEAT STORAGE







TVS 🛰



ZYADA SAFETY



The headlamp remains illuminated for 20 seconds even after the engine is turned off.



SIDE STAND ENGINE INHIBITOR

Automatically shuts off the engine when the side stand is engaged.



ZYADA CONVENIENCE



BLUETOOTH-ENABLED DIGITAL CLUSTER

Distance-to-Empty, Average Fuel Efficiency, Sports, News and Weather updates.



FRONT FUEL FILLING



COLLAPSIBLE BAG HOOKS





Get car-like safety with turn-indicators which double up as hazard lamps providing enhanced visibility on the road. Now, driving in foggy & rainy conditions has become safer,




ZYADA COMFORT













TVS HIMAALAYAA
Rejoice Every Ride

ZYADA COLOURS







SPECIFICATIONS L

ENGINE (BS-VI compliant)

ype Single cylinder, 4-stroke, Air cooled

splacement 124.8cc

Bore x Stroke 53.5 x 55.5 mm

Fuel Supply System ETFI-Fuel injection - Closed loop

Air Filter Type Paper filter

Maximum Power 6.0 kW @ 6500 rpm (without iGO Assist)

6.3 kW @ 6500 rpm (with iGO Assist) 10.5 Nm @ 4500 rpm (without iGO Assist)

11.1 Nm @ 4500 rpm (with iGO Assist)

Transmission Type CVT automatic

ELECTRICALS

Maximum Torque

Ignition ECU-controlled ignition
Battery 12V, 5Ah MF battery

Headlamp LED with clear lens with MFR
Tail Lamp Bulb with LED light guide

Starting System Electric silent start

CHASSIS & SUSPENSION

rame High rigidity underbone type

mensions (lxbxh) 1852 x 691 x 1168

/heelbase 12/5 mr

Ground Clearance 163 mm (unladen)

Seat Length 790 mm Kerb Weight 108 kg Fuel Tank Capacity 5.1 L Whools

Front Suspension Telescopic hydraulic

Rear Suspension Twin tube emulsion type shock absorber

with 3-step adjustable

BRAKES & TYRES

Front 220 mm Disc Rear 130 mm Drum

Tyre Size (Front & Rear) 90/90-12 54J (tubeless)

DOUBLE ROAD
Shantinagar
No.114,KH Road,
Bangalore - 560027
+91 95130 77787

COLES PARK
Frazer Town
No.113,St. JohnsChurch Road
Bangalore - 560005

**** +91 95130 77768

SERVICE

LALBAGH ROAD

No.1/1, 2ndCross Lalbagh Road Bangalore - 560027

+91 95130 77797

