

**ABS**OLUTELY  
**WICKED**  
DUAL DISC



**TVS**

**RAIDER**  
— THE WICKED RIDE

**TVS** 

**HIMAALAYAA**

Rejoice Every Ride

# **WICKED STYLE**

**INDIA'S FIRST** **COMMUTER**  
**BIKE WITH**  **TFT CONSOLE**

**SPORTY TANK  
WITH SCOOPS**

**UNIQUE  
LED TAIL LAMP**

**ANIMALISTIC  
LED HEADLAMP**



**NAKED STREET  
DESIGN**

# WICKED PERFORMANCE



**ADVANCED 3-VALVE ENGINE**  
**Air cooled engine with oil cooling**



**MULTIPLE RIDE MODES**



**BEST-IN-CLASS  
TORQUE**  
**11.75 Nm @6000 RPM**

**TVS iGO Assist**

**10% MORE MILEAGE\***




**ETFB  
ECOTHAUST**

**15% MORE MILEAGE\***  
**SMOOTH ENGINE PERFORMANCE**

# In all variants except single seat. \* Under TVSM internal test conditions.

# WICKED CONNECTED TECH

## TFT CONSOLE



## REVERSE LCD



## 99+ FEATURES



### VOICE ASSIST



### ON-THE-GO CALL MANAGEMENT




### SPORTS UPDATES



### NAVIGATION



### ON-CONSOLE NOTIFICATIONS



### WEATHER UPDATES

# **WICKED** **SAFETY+CONVENIENCE\_**



**ROTOPETAL  
DISC BRAKE**



**FIRST-IN-SEGMENT  
DUAL DISC BRAKES**  
with Single Channel ABS.  
(available in TFT DD and SXC DD)



**SIDE STAND  
INDICATION AND  
ENGINE CUT-OFF**



**HELMET ATTENTION  
INDICATION**



**UNDER-SEAT  
STORAGE**



**USB CHARGER**

# WICKED COMFORT\_



**GLIDE THROUGH TECHNOLOGY**



**COMFORTABLE  
RIDING POSTURE**



**WIDER TYRES**



**MONOSHOCK  
SUSPENSION**



**180 MM  
GROUND CLEARANCE**



**WIDER SPLIT SEAT**

# **WICKED COLOURS\_**

## **RED ALLOYS**



**NARDO GREY\_**




**WICKED BLACK\_**



**STRIKING RED\_**

## **BLACK ALLOYS**



**FORZA BLUE\_**



**STRIKING RED\_**



**BLAZING BLUE\_**



**FIERY YELLOW\_**



**BLACK PANTHER\_**



**IRON MAN\_**



**DEADPOOL\_**



**WOLVERINE\_**



**WICKED BLACK\_**



**MERCURY GREY\_**

# TECHNICAL SPECIFICATIONS

|                      | TFT DD             | SXC DD             | SSE            | iGO            | SPLIT SEAT     | SINGLE SEAT   | DRUM          |
|----------------------|--------------------|--------------------|----------------|----------------|----------------|---------------|---------------|
| Front/Rear Brake     | Dual Disc with ABS | Dual Disc with ABS | Disc/Drum      | Disc/Drum      | Disc/Drum      | Disc/Drum     | Drum/Drum     |
| Technology           | iGO Assist         | iGO Assist         | iGO Assist     | iGO Assist     | iGO Assist     | Intelligo     | Intelligo     |
| Screen               | TFT                | Reverse LCD        | Reverse LCD    | Reverse LCD    | Reverse LCD    | Reverse LCD   | Reverse LCD   |
| Connected Tech       | 99+ Features       | 85+ Features       | 85+ Features   | 85+ Features   | 85+ Features   | N/A           | N/A           |
| SmartXonnect         | Yes                | Yes                | Yes            | Yes            | Yes            | No            | No            |
| Boost Mode           | Yes                | Yes                | Yes            | Yes            | Yes            | No            | No            |
| Ambient Sensor       | Yes                | Yes                | Yes            | Yes            | Yes            | No            | No            |
| Voice Assist         | Yes                | Yes                | Yes            | Yes            | Yes            | No            | No            |
| Kerb Weight in kg    | 125                | 125                | 123            | 123            | 123            | 124           | 124           |
| Call Management      | Yes                | Yes                | Yes            | Yes            | Yes            | No            | No            |
| Maximum Torque in Nm | 11.75@6000 rpm     | 11.75@6000 rpm     | 11.75@6000 rpm | 11.75@6000 rpm | 11.75@6000 rpm | 11.2@6000 rpm | 11.2@6000 rpm |

| <b>ENGINE &amp; TRANSMISSION</b>       |  |  |                       |
|--|--|--|-----------------------|
| Type                                   | Air & Oil cooled single cylinder, SI       |  |                       |
| Bore x Stroke (mm)                     | 53.5 x 55.5                                |  |                       |
| Piston Displacement (cc)               | 124.8                                      |  |                       |
| No. of Valves                          | 3  |  |                       |
| Maximum Power in kW                    | 8.37 @ 7500 rpm                            |  |                       |
| No. of Gears                           | 5 speed                                    |  |                       |
| Pattern                                | 1-N-2-3-4-5                                |  |                       |
| <b>CHASSIS DIMENSIONS &amp; WEIGHT</b> |  |  |                       |
| Overall Length (mm)                    | 2,070                                      |  |                       |
| Overall Height (mm)                    | 1,028                                      |  |                       |
| Overall Width (mm)                     | 785  |  |                       |
| Wheelbase (mm)                         | 1,326                                      |  |                       |
| Ground Clearance (mm)                  | 180 (unladen)                              |  |                       |
| Kerb Weight (kg)                       | 123 (SSE, iGO, Split seat)                 | 124 (Single seat, Drum)                  | 125 (TFT DD & SXC DD) |
| <b>SUSPENSION</b>                      |  |  |                       |
| Front Type                             | Telescopic                                 |  |                       |
| Rear Type                              | Monoshock, 5-step adj, Gas charged         |  |                       |
| <b>TYRE</b>                            |  |  |                       |
| Front Tyre                             | 90/90-17 Tubeless, 49 P (TFT DD & SXC DD)  | 80/100- 17 Tubeless, 46 P                |                       |
| Rear Tyre                              | 110/80-17 Tubeless, 57 P (TFT DD & SXC DD) | 100/90-17 Tubeless, 55 P                 |                       |
| <b>BRAKES</b>                          |  |  |                       |
| Front Disc/Drum (mm)                   | Disc - 240 with ABS (TFT DD & SXC DD)      | Disc - 240 (SSE, iGO, Split seat & Disc) | Drum - 130            |
| Rear Drum (mm)                         | Disc - 200 (TFT DD & SXC DD)               | Drum - 130 Synchro SBT                   |                       |
| <b>ELECTRICALS</b>                     |  |  |                       |
| Battery Type & Spec.                   | MF battery, 12V 5 Ah (iGO Assist)          |  |                       |
| Headlamp                               | LED  |  |                       |
| Tail Lamp                              | LED  |  |                       |
| <b>CAPACITIES</b>                      |  |  |                       |
| Fuel Tank (litre)                      | 10   |  |                       |

**SALES**



**DOUBLE ROAD**  
**Shantinagar**  
 No.114, KH Road,  
 Bangalore - 560027



**+91 95130 77787**



**COLES PARK**  
**Frazer Town**  
 No.113, St. Johns Church Road  
 Bangalore - 560005



**+91 95130 77768**

**SERVICE**

**LALBAGH ROAD**  
 No.1/1, 2nd Cross  
 Lalbagh Road  
 Bangalore - 560027  
**+91 95130 77797**